Hohmann.book Page 303 Monday, January 13, 2003 9:11 AM

Index

A

Accountability, 270–271
Activation, software, 258, 271–272
Adoption, S-shaped curve of, 42–44
Advertising, 41
Ahn, Myron, 1, 235
Annual software license, 71–72
  characteristics of, 82
  enforcement, 88–93
America Online (AOL), 224
APIs
  exposure of, 156–157
  integration through, 155–158
  and license management, 91
  managing over multiple releases, 169–170
  stabilization of, 158
  upgrading of, 219
Application service provider (ASP), 130, 133
Architecture
  advantage conveyed by, 7
  alternative thoughts on, 2–4
  creating, 7–9
  criteria for replacement of, 6, 8
  definitions of, 1–2
  deployment, 129–144
  evaluation of, 8–9
  evolution and maturation of, 9–16
  and installation, 206–209
  marketing. *See* Marketecture
  modular, 227–228
  patterns, 9
  principles, 17–19
  subsystems, 2–3
  team for, 21–22
  technical. *See* Tarchitecture
  tips for, 16–17
  views of, 20–21
Artifact, defined, 248
Audit trails, 85
Auditability, in secure system, 269
Augmented product, 44, 45
Authentication, 86
  in closed systems, 267
  in hybrid systems, 268–269
  and marketecture, 276
  in open systems, 267–268
Authorization, 266
  and installation, 210
Automatic forwarding, of logs, 242

B

Bach, James, 56, 126
Back doors, 275–276
Backend integration, 92

Hohmann.book Page 304 Monday, January 13, 2003 9:11 AM

Background processing, 200
Backward compatibility, 170
Behavior tracking and auditing logs, 236
  suggested content for, 239
Bootstrapping, 228
Boundaries, defining, 7
Brand
  changing elements of, 179–181
  customization of, 179
  elements of, 173–178
  importance of, 47
  in-license, 178
  legal issues, 177–178
Bugs
  dealing with, 17
  fixes, charging for, 255
  prioritizing, 56–57
Build number, 252, 253
Bundles, in business model, 69
Business model, 40
  in business plan, 36
  choosing, 93–94
  common types of, 69–81
  defined, 67
  enforcement issues, 83
  ideal, 68
  and installation, 207
  and license model, 67
  market maturity and, 93–94
  multiple, 70
  and pricing model, 75–76
  rights associated with, 81–82
  tarchitectural support for, 82–87
  verification, 84
Business plan, 28
  components of, 35–36
  importance of, 35
  updating of, 37

C

Caches, 199–200
Capabilities
  defined, 12
  vs. features, 11
Capacity, defined, 193
Capacity planning logs, 236
  suggested content for, 238
`Caps.ini` file, 231–232
Cardinality, 187
Cash flow, modeling of, 137
Certificate revocation, 268
Certification, 166–167
  digital, 268
  upgrade, 219
Change protocols, 38–39
Channel strategy, in business plan, 36
Code tags, 15
Cohesion, 19
Colors, brand identification by, 177
Common Log Format, 242
Compaction, of logs, 243
Compatibility, configuration for, 229
Compensating transactions, 192
Competitive analysis, in business plan, 36
Complete release, 249
Component
  defined, 248
  name of, 174–176
  physical location of, 174
  prerequisite relationships, 248
  ripple ugprade, 218
Concept proposal, 28, 37
Conceptual models, 186
Concurrent resource management, 76–77
  characteristics of, 82
Confidentiality, in secure system, 270
Configuration parameters, 229
  heuristics for, 232–233
  setting, 230–232
Configuration
  during execution, 230
  during upgrades, 223
  during initialization, 230
  streamlining of, 229
  system context of, 228–230
  usability and, 227–228
  value setting, 230–232
Consumptive resource management, 77–78
  characteristics of, 82

Hohmann.book Page 305 Monday, January 13, 2003 9:11 AM

Context diagrams, 64–65
Contracts
  basics of, 101
  and conflicts, 106–107
  honoring, 107–108
  license terms, 102–106
  payment issues, 109–111
Contractual volume licensing, 73–74
Controlled release, 250
Copy protection, 84
Cost analysis, in business plan, 36
Costs saved, business model based on, 79–80
Coupling, 18
Crackers, counteracting, 92
Critical risks, in business plan, 36
Cross-platform code. *See* Portability
CRUD operations, 149
Cultural differences, and tarchitecture, 61
Cunningham, Ward, 13
Customers
  characteristics of,134–135
  and deployment architecture, 132–135
  feedback from, 59–60, 168
  and installation, 205–206
  and integration and extension, 163
  message to, 47–48
  relations with, 51–59
  software control by, 132–133, 145–147
  types of, 42–44
  and upgrades, 219, 221
  in user community, 167–168
  vendor confidence of, 133–134
  working with, 12–13
Customization information, upgrades and, 223

D

Data capture, for business models, 83
Data migration
  options for, 141
  procedure for, 221, 223
  in upgrading process, 218–219, 224
Data retention, in upgrading process,219
Data security, 133, 141
  case study of, 135
Databases, software upgrades and, 221, 223
Debug label, for log files, 241
Debugging logs, 236
  suggested content for, 238
Degradation, sources of, 13
Delivery
  promptness of, 16
  of usable product, 15
Deployment architecture
  case study of, 135
  choices of, 130–131
  choosing, 138, 139
  defined, 129
  customer influences on, 132–135
  corporate influences on, 136–138
  geographical issues, 134, 137–138
  hybrid, 132
  information appliance and, 140
  maintenance of, 138–139
  and software architecture, 140–142
  variables in, 141
Design documents, 29
Development
  plan for, 28–29
  of product, 30
  parallel development, 153
  rhythm of, 15
Digest function, 269
Digital certificates, 268
Digital identity management, 264
  authentication, 266–269
  authorization, 266
Digital signature, 270, 271
  for software license, 89, 272
Directories, locating, 228
Dispute resolution, security and, 277–278
Distribution
  defined, 249
  channels, 41
  electronic, 256
  and software activation, 258
Domain model, 149–150
Dongle, 273
Dot release, 252
Dynamic logging, 241

Hohmann.book Page 306 Monday, January 13, 2003 9:11 AM

E

E-mail, security for, 268–269
Early adopters
  and business model, 93
  in adoption cycle, 43
  and upgrades, 224
Early majority
  in adoption cycle, 43
Encapsulation, 18
Encryption, 269–270
Enterprise application providers (EAPs), 131
Entropy reduction, 14
  techniques for, 15
Error label, 241
Error logs, 236
  suggested content for, 238
Error recovery logs, 236
  suggested content for, 238
Error response, 189
ETL (extract, transform, load) scripts, 162–163
  charging for, 163
  in upgrades, 221
Exceptions, logging of, 242
Execution, configuration during, 230
Executive overview, in business plan, 35
Expected product, 44, 45
Extension, 36
  at business logic layers, 154–159
  layered business architectures and, 147–154
  and locus of control, 155
  motivations for, 145–147
  and persistent data, 159–163
  through registration, 158–159

F

Failure, dealing with, 8
Failure recovery, 192
  and performance, 199
Feature/benefit map, 58, 291–292
Features, 69
  vs. capabilities, 11
  customer feedback in determining, 12–13
  documenting, 10, 12
  learning curve for, 220
  as marketing tool, 10
  removal of, 222
  and technological debt, 13
Feedback, 59
  and features, 12–13
  unexpected, 60
  to user, 187–188, 197–198
Fees
  negotiation of, 111
  types of, 109–111
Files, keeping track of, 228
Financial analysis, in business plan, 36
FIPS (U.S. Federal Information Processing Standards), 277
Flat files, design of, 240
Flexibility
  customer requests for, 11
  in deployment architecture, 137
  reducing through successive freezing, 38
4 P's of Marketing, 40
Fractional release, 249
Freezing, successive, 38
Full release, 249
  identification of, 251
Future of commercial software, 142

G

General release, 250
Generic product, 44
Germeraad, Paul, 292
Globally unique identifiers (GUIDs), 85
Granularity, choosing, 19
Graphics, brand identification by, 177

H

Hackers, 271
Hardware
  business models based on, 78–79, 82, 87
Hardware binding, 259, 272–273
Hardware upgrades, 218
Honor system, 88
Hook tables, 161–162

Hohmann.book Page 307 Monday, January 13, 2003 9:11 AM

I

Icons, brand identification by, 177
Identified resource management, 77
  characteristics of, 82
Ilities, 53, 54
  dealing with, 56, 83–84
Impact analysis, in business plan, 36
Info label, 241
Information appliance, 140
Information security, 133, 135, 141, 264
  importance of, 273–274
  techniques of, 274
Infrastructure investment, effect on deployment architecture, 136–137
Initialization, configuration during, 230
Injection approach, to license management, 90–91
Innovations, adoption of, 42
Innovators, in adoption cycle, 43
Installation
  and architecture, 206–209
  and business model, 207
  case study of, 207
  caveats regarding, 210–212
  confirmation of, 212
  customer information for, 210–211, 212–213
  customer issues with, 205–206
  dangers of, 204
  developers and, 208
  environment issues, 208
  interruptibility of, 211
  licensing issues, 207
  out-of-box, 203–205
  preconditions for, 209–210
  procedures for, 209–212
  responsibilities for, 207–208
  roles in, 208
  testing, 213–214
Integration
  APIs and, 155–158
  backend, 92
  at business logic layers, 154–159
  example of, 147
  layered business architectures and, 147–154
  and locus of control, 155
  motivations for, 145–147
  and persistent data, 159–163
Integrity, in secure system, 269–270
Interfaces, 18
Internationalization, 189–190
  case study of, 190
Internet business service providers (IBSPs), 131
Interpreted language, for portable applications, 119–120

K

Krutchen, Philippe, 20

L

Labels, in logs, 241
Laggards, in adoption cycle, 43
Lampson, Butler, 199
Late majority, in adoption cycle, 43
Latency, defined, 193
Layered business architectures
  creation of, 151–154
  domain model layer, 149–150
  illustrated, 148
  parallel development of, 153
  persistent data layer, 150–151
  services layer, 149
  spiking and, 151–152
  user interface layer, 147–149
License agreements, 167–168
License generator, 89
License managers
  branding and user interface issues, 92
  business model support of,91
  capabilities of, 92–93
  client, 89–90
  home-grown, 88–89
  license format and content, 92–93
  license distribution, 93
  operational environment issues 92
  platform and operating system support of, 92
  security issues of, 92
  server component of, 90
  third-party, 89, 90

Hohmann.book Page 308 Monday, January 13, 2003 9:11 AM

License model, 67
  enforcement of, 87–93
  types of, 71–80
  verifying parameters of, 84
Licenses
  from component vendors. *See* Technology in-licensing
  digitally signed, 272
Lightweight Directory Access Protocol (LDAP), 266
Limited release, 250
Localization, as user issue, 190
log4j, 242
Logging levels, 241–242
Logical view, of system, 20
Logs
  APIs for, 242
  audiences for, 234
  automatic forwarding of, 242
  case study of, 278
  data categories in, 237
  of exceptions, 242
  format of, 239–240
  information contained in, 237–239
  installation, 210–211
  logging libraries, 242
  logging services, 243–244
  management of, 241–242
  postprocessing data for, 243
  purposes for, 235–237
  removable, 242
  repurposing, 243
  security of, 242
  standards for, 242
  vs. trace statements, 239
Longevity, of architecture, 4
Loose coupling, 18–19
Lunde, Ron, 218, 280

M

Machine binding, 272
Main message, 47–48
Maintenance release, 252
Major release, 252
Managed release, 250
Managed service provider (MSP), 130–131, 133
Market analysis, in business plan, 36
Market events/market rhythms, 58, 289–291
Market map, 58, 288–289
Market segment
  defined, 41
  niches within, 42
Market segment preferences, 156
Marketecture
  case study of, 52, 55
  and certification, 166–167
  clarity in, 60–62
  defined, 51–52
  and licensing agreements, 168–169
  and professional services, 164
  projecting the future, 58–59
  skills involved in, 57–58
  and tarchitecture, 54, 55, 57, 68
  and training programs, 166
  and user community, 167–168
Marketing communication, 41
Marketing requirement documents (MRDs), 26, 29
  and configuration management, 248
  formality, 29, 37, 39, 60
  importance of, 37
Marketing strategy, in business plan, 36
MD5 digest function, 269
Mental models, 185–186
Metaphor
  example, 186
  importance of, 186
  relationship to marketecture, 186
Metering, 76
  business models based on, 76–78
  characteristics of, 82
  methods of, 86–87
  and tarchitecture, 86–87
  user authentication, 86
Milestone payments, 110
Minor release, 252
Modular architecture, 227–228
Module release, 249

Hohmann.book Page 309 Monday, January 13, 2003 9:11 AM

Moore, Geoffrey, 43
Multiplatform development, 32

N

Names
  attributes of, 175
  in configuration and log files and system messages, 176
  conventions for, 156
  in deployment model, 174
  internationalization of, 176
  of key components, 174, 176
  responsibility for, 174
  volatility of, 176–177
Network availability, 192
Niche markets, 41

0

OEM market, 74
One-way hash, 269
Open source software (OSS), 79
  licensing of, 108–109
Operational status logs, 236
  suggested content for, 239
Out of box experience (OOBE), 203–205

P

Parallel development of layered architecture, 153
Parameterization, 19
Partial release, 249
  identification of, 252–3
Partner preferences, 156
Password security, 274
Patch release, 249
  identification of, 253–254
Pay after use software, 73
  characteristics of, 82
Peak loads, 133
Per-thread logging, 241
Per-use software license, 73, 207
Percentage of revenue fees, 110
Performance
  defined, 193
  and marketecture, 195–197
  and tarchitecture, 198–201
  terminology of, 193–195
  user response, 197–198
Performance parameters, 229
Performance tuning logs, 236
  suggested content for, 238
Perpetual license, 71
  characteristics of, 82
Persistent data
  business logic and, 160
  ETL scripts, 162–163
  hook tables, 161–162
  spreadsheet pivot tables, 162
  user fields, 160–161
  views, 159–160
Persistent data layer, 150–151
Persistent storage, standards-based, 120
Physical view, of system, 20
Piracy, 265
  reducing, 84, 259
  techniques of, 272
Pivot tables, 162
Place (in marketing), 41
Platform preferences, 155–156
Portability
  applications and, 119–121
  business case for, 116–119
  case study of, 118
  configurations and, 122–126
  facilitation of, 121–126
  and installation, 211
  motivations for, 116
  importance of, 228
  perceived advantages of, 115–116
  platform issues, 121
Portable applications
  business logic, 120
  language for, 119–120
  obstacles to, 120
  storage issues, 120
  XML in, 120–121

Hohmann.book Page 310 Monday, January 13, 2003 9:11 AM

Positioning, 45, 47
  effectiveness of, 46
Potential product, 44
Prelaunch, 33–34, 37
Prepaid fees, 109
Pricing model, 40–41, 75–76
Private key encryption, 270
Problem domain, 53
Process view, of system, 20
Product
  augmented, 44, 45
  branding of, 47
  distribution of, 41
  expected, 44, 45
  generic, 44
  importance of, 40
  potential, 44
  pricing of, 41
  promotion of,41
  target, 45, 64–65
  technical vs. market superiority of, 45
  whole, 44–45
Product description, in business plan, 36
Product development
  preparation for, 34–35
  real-world, 33–35
Product development processes
  augmentation of, 37–40
  enumerated, 26–33
  real-world, 37
Product differentiation, in business plan, 36
Product extensions and futures, in business plan, 36
Product positioning, in business plan, 36
Product proposal, 28, 37
Professional services, marketecting of, 164
Profilers, 199
Profitability, architecture and, 5
Program family, defined, 248
Project management
  business plan, 35–36
  concepts in, 40–48
  defined, 25
  importance of, 26
  interaction with engineering, 27
  and product development, 26–33
  protocol changing, 38–39
  real-world view of, 33–35, 37–40
Product management patterns, 285
  applying, 286–287
  feature/benefit map, 291–292
  market events/market rhythms, 289–291
  market map, 288–289
  results of, 287–288
  tarchitecture roadmap, 292–294
Promotion, in marketing, 41
Public key encryption, 270

Q

Quality assurance
  aspects of, 30–31
  case study of, 31–32
  importance of, 30
  involvement in training programs, 165
  in release management, 247
  and technology in-licensing, 99

R

Rational 4+1 model, 20–21
RC4 algorithm, 270
Recycle bin, importance of, 40
Registration, software, 258
  extension through, 158–159
Release, defined, 249
Release checklist
  for core product management, 282
  for engineering/development, 281
  knowledge transfer, 282–283
  for professional services, 282
  for quality assurance, 281–282
  release activities, 283
  for sales, 282–283
  technical publications, 282
  for technical support, 283
  tracking information, 281
Release management
  audiences for, 250

Hohmann.book Page 311 Monday, January 13, 2003 9:11 AM

defined, 247
guidelines for, 260–261
importance of, 247–248
influences on tarchitecture, 259–261
product in, 249
release identification, 251–256
serial numbers, 258
SKU management, 256–258
software activation, 258
Reliability, defined, 193
Remittance requirements, 83
Rental software, 72
characteristics of, 82
Replacement, indications for, 6
Reporting requirements, 83
Request
cancellation of, 190–191
undoing of, 191–192
Response time, defined, 193
Revenue forecast, in business plan, 36
Revenue obtained, business model based on, 79–80
Reversion, 220
Revision, defined, 248
Rework, in upgrading, 217–218
Rijndael encryption, 270
Ripple upgrades, 218
Risk management, 265
Role based access control (RBAC), 266
Royalty market, 74

S

S-shaped curve of adoption, 42–44
Sales cycle, 136
Scalability, defined, 193
Security
algorithms for, 274–275
challenges to, 264–266
dangers of back doors, 275–276
digital identity management, 264, 266–269
in dispute resolution, 277–278
importance of, 263–264
and industry growth, 277
information security, 264, 273–274
of logs, 242
and marketecture, 276–278
need for, 265–266
regulatory issues, 277
risk management, 265
and session data, 156
software security, 264, 271–273
transaction security, 264, 269–271
and trust, 277
Self-service operations, 200
Serial numbers, 258
importance of, 258–259
management of, 55
as security measure, 271–272
Service-based business models, 79
characteristics of, 82
Services layer, 149
SHA1 digest function, 269
Shared resources, 192
Signature, digital, 270, 271, 272
SKUs, 256
allotment of, 258
assigning, 256–257
Sleepycat Software, 80
Slogans, brand identification by, 177
Smith, Dave, 235
Social structure, architecture and, 5
Software activation, 258
importance of, 259
as security measure, 271–272
Software security, 264
costs and benefits of, 273
hardware binding, 259, 272
protecting validation code, 272
techniques of, 271–273
Solution development, 53
Speed
network, 192
performance, 193–197, 198–201
user response, 197–198
Spiking
defined, 151
illustrated, 152

Hohmann.book Page 312 Monday, January 13, 2003 9:11 AM

Spiking *continued*
importance of, 153
incremental development using, 151–152
Splash screens, brand identification by, 177
Spreadsheet pivot tables, 162
SSL (Secure Socket Layer), 270
Stability, of architecture, 4
Standards-based persistent storage, 120
Strategic fit, in business plan, 35
Studios, in business model, 69
Subcomponents, managing, 206
Subscription software, 72–73
characteristics of, 82
Subsystems
integrity in, 3
motivators for design of, 2–3
need for, 2
Successive freezing, 38
Suites, in business model, 69
Superiority, technical vs. market, 45
Support model, in business plan, 36
SWOT analysis, 36
Synchronization, of logs, 243
System configuration management logs, 236
suggested content for, 239

T

Tarchitecture
and business model, 82–87
case study of, 52, 55
costs of, 84
cultural issues in, 61
data availability, 63–64
and decision making, 63
defined, 51
and marketecture, 54, 55, 57, 68
performance and, 198–201
projecting the future, 58
release management and, 259–261
teamwork and, 62–64
and training materials, 166
and user interface design, 187–193
Tarchitecture roadmap, 58, 292–294
Target product, 45
context diagrams and, 64–65
Team
building of, 21–22
cultural issues of, 61
working as, 62–64
Technological currency, 16
Technological debt, 14
causes of, 16–17
dealing with, 14–15
Technology in-licensing, 17
access to source code, 106
case study of, 103, 107
conflict resolution, 106–107
contracts for, 101
duration of, 102–103
economic issues, 110–112
exclusivity issues, 104
geographical scope of, 103
honoring agreements, 107–108
and installation, 206
management of, 108
marketing issues, 106
management of brands, 178
noncompete agreements, 105–106
OSS (Open Source Software) and, 108–109
payment and renewal terms, 105, 109–110
risks and rewards of, 98–101
reasons for, 97
restrictions on, 105
scope of, 102, 104
sublicensing, 104
termination of, 104
training and development issues, 111
Test-driven design, 31
Threading, 199
Throughput, defined, 193
Time-based access or usage, 71–74
characteristics of, 82
and tarchitecture, 84–85
Timeouts, 192
Total addressable market, defined, 41
Total available market, defined, 41
Trace statements, 239

Hohmann.book Page 313 Monday, January 13, 2003 9:11 AM

Trademark symbol, 177
Trademarks, 173
  proper use of, 178
Training programs, 165–166
Transaction-based business models, 74–76
  characteristics of, 82
  and tarchitecture, 85–86
Transaction security, 264
  accountability, 270–271
  auditability, 269
  confidentiality, 270
  integrity, 269–270
Transaction support, 188–189
Transactional deployment, 131
Transactional volume licensing, 73–74
Transactions
  business models based on, 74–76, 82
  characteristics of, 86
  defining, 85
  identification of, 85
  relation to business model, 85
Trialware, 11

U

Uninstallation, 213–214
Universally unique identifiers (UUIDs), 85
Update release, 249
Upgrades
  APIs in, 219
  certification of, 219
  and configuration and customization information, 223
  customer readiness for, 221
  customer resistance to, 219
  data migration during, 218–219, 221, 223
  data retention during, 219
  facilitating, 221–224
  fears about, 217–220
  and license compliance, 17
  and license rights, 67, 81–82
  market maturity and, 224–225
  new features and, 220
  number and timing of, 221
  from old versions, 223, 224
  policies regarding, 141
  replacement vs. coexistence, 223–224
  reversion capability during, 220
  ripple, 218
  system accessibility during, 220
  warning customers, 62
Usability, 183
  financial importance of, 183–185
  market issues and, 185
  metaphors for, 185–186
Usage-based fees, 109–110
User community, 167
  nurturing, 167–168
User feedback
  importance of, 187–188
  performance and, 197–198
User fields, 160–161
User interface design, 183–184
  case study of, 190
  tarchitecture and, 187–193
  user models, 188
User interface layer, 147–149

V

Validation code, protecting, 272
Value setting, 230
  procedures for, 231–232
Variation
  defined, 248
  identification of, 255–256
Version
  defined, 248
  number, 174
Versioning, and release management, 260–261
Viewers, for logs, 243
Views, 159–160
Voice, brand identification by, 177
Volume capabilities, checking, 92
Volume licensing, 73–74, 207

W

Warning label, 241
Web-based software deployment, 131

Hohmann.book Page 314 Monday, January 13, 2003 9:11 AM

Whole product, 44
  and marketecture, 52
  misuse of term, 45
Windows Event Logs, 242
Workflow support, 188
W3C Extended Log Format, 242

X

XML, in portable applications, 120–121